QUICK REFERENCE GUIDE





Some functions may belong to options. Consult the user manual.

Find the user's manual on the download area at: www.promaxelectronics.com



QUICK REFERENCE GUIDE



## $\mathsf{RF} \quad \texttt{P} \quad \texttt{RF} \quad \texttt{P} \quad \texttt{P} \quad \texttt{RF} \quad \texttt{P} \quad \texttt{RF} \quad \texttt{P} \quad \texttt{SETTINGS}$







QUICK REFERENCE GUIDE





3

QUICK REFERENCE GUIDE





QUICK REFERENCE GUIDE



## WIFI 🛜 🕨 SETTINGS



### WIFI 🛜 🕨 SCREENS

### SITE SURVEY

(7)

• PROMAX 14/12/2021 12:10		S	ITE SURVEY		ê 📑
SSID	BSS	СН	RSSI(dBm)	Security	Device
JAZZTEL	01:23:45:67:89:ab	1	-86	WPA	Wireless Router
MOVISTAR	aa:bb:cc:dd:ee:ff	2	-72	WPA2	WAP6969N
YACOM	98:76:54:32:10:fe	3	-84	WPE	-
YOIGO	a1:b2:c3:d4:e5:f6	4	-74	None	
ORANGE	22:44:66:88:ab:cd	5	-70	WPA	
VODAFONE	13:57:92:46:80:31	6	-88	WPA	
ARRAKIS	ca:ac:ed:de:fb:bf	7	-78	WPA	
TELEFONICA	57:26:21:44:a6:89	8	-76	WPA	
TERRA	11:85:e5:74:0c:53	9	-80	WPA	
WANADOO	b4:07:32:41:a6:1c	10	-82	WPA	
CH 1					Advanced







#### WIFI 🛜 🕨

MENUS



QUICK REFERENCE GUIDE



### IPTV ip.tv > SETTINGS



#### IPTV ip.tv > SCREENS







#### INTER PACKET ARRIVAL TIME



### IPTV ip.tv > MENUS



QUICK REFERENCE GUIDE





### OTT streaming (O) > SETTINGS





## OTT streaming (()) > SCREENS

OEFAULT 15/12/2021 13:39	OT	T 1/2	*****
URL http://media.dev	eloper.dolby.com/Dol	byVision_Atmos/profile	8.1_DASH/p8.1.m
Representation			
Tests messages			
Segment list is valid			
Segments list details			
URL content is MPD			
MPD type: static			
MPD profiles:			
'live'			
🕜 MPEG-DASH			
LIDI	View	Dage Up	Daga Down

## (M) • OTT Segment Bitrate





#### OTT streaming (()) > MENU



#### webControl <a> Network Setting</a>





#### 





**PREFERENCES MENU** 



QUICK REFERENCE GUIDE



SETTINGS MENU





#### ► INSTALLATION MANAGEMENT



#### EXPORT\* IMAGE / DATA / SPECTRUM REFERENCE



QUICK REFERENCE GUIDE









QUICK REFERENCE GUIDE



**TOUCH SCREEN** 

#### MENU SELECTION

1

DEFAULT 05/11/2021 13:57		PREFEREN	CES		6h15
Equipment App	earance	Time & Date	Measures	Stealth-ID	
לייי <u>ן</u>	e: English		Color Syste	m: PAL 50 Hz	•
	n: RED 🖪	•	Boot scree	en: DEFAULT	▼
Power Of	ff: Off	•	Values Form	at: Hexadecimal	▼
Brightnes	s: Auto	▼			
Backgroun	d: Black	V			
Batt. Tim	e: Show	▼			
TFT Scree	n: Off	▼			
Exit	Sa	ve			

• DEFAULT 05/11/2021 13:57		PREFERENCES					
Equipment	Appearance	Time & Dat	e Measures	Stealth-ID			
Lan	guage: En Ca	talà	Color Syste	m: PAL 50 Hz	•		
	Skin: RE Če	ština	Boot scree	en: DEFAULT	▼		
Pow	ver Off: Of Fo	glish	Values Form	at: Hexadecima	al 🔻		
Brigh	ntness:	bañol ncais			_		
Backg	round	liano					
Batt	. Time: Sh Po	lski					
TFT S	Screen: Of Slo	сский venský					
Exit	Sa	ive					

#### **FREQUENCY SELECTION**



O5/11/2	021 14:35			SPEC	TRUN	1 1/3			Снф 🖤	
Freq.:	570.00 M	MHz 🗌	Power:	74.7 dBµ	IV N	IER: 28.5	5 dB	CBER:	1.4E-04	1
		1	C/N:	30.4 dB	L	M: 8.9	dB	VBER:	<1.0E-0	8
70							Y			
60									, natio	
50	<u>h.</u> <u>h.</u> ,				UNIVERSITY OF				pl <sup>y</sup>	
_40	7	<u>\</u>					ריין			
_30							$\square$			
_20										
dBµV		1.14			554.00					11 M
🕜 МРЕ	🕜 MPEG2 TS locked: TA1C Span: 100 MHz									
	CH 33		D	VB-T		Тоо	ls	A	dvanced	ł

#### **VIRTUAL KEYBOARD WRITING**

O5/11/2021 13:50	SPECTRU	JM 1/3	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
	Enter file	name:	
PR			
@ # \$	% &	()-	~! 🛥
QWE		YUI	) O P
AS	FG	HJI	< L
Ω Z X		BNM	).
Shift	Del	Ok	Cancel

ODEFAULT 05/11/2021 13:55 SPECTRU	JM 1/3	۳ 🛄
Enter file	e name	
PROMAX		
@ # \$ % & Q W E R T A S D F G	( ) - · Y U I [ H J K	- ! <= O P L
δZγCV	BNM	
Shift Del	Ok	Cancel

QUICK REFERENCE GUIDE



#### **TOOLBAR**



#### SPECTRUM 1/3 1.4E-04 <1.0E-08 BER: BER: M 1Ô7 n f Span: 100 MHz DVB-T Tools Advanced

#### **TOOLBAR ICONS**

 $(\mathbf{7})$ Measurement Mode Spectrum Analyser Mode A.A. TV Mode



Ö

Settings

Video & Audio Settings 8 Preferences

1ôn Screen Capture

Installations Management  $\nabla$ 

#### MODE SCREENS



#### INSTALLATIONS MANAGEMENT



DEFAULT 16/12/2021 08:10	DEFAULT		1 💻
CCIR C_COMBIN_LAB DAB DAB_LAB DVB_T_LABO FCC FM_LAB LTEB20ES OIRT	Channel Plan Information: Name: CCIR Version: 1.0 Band: Terrestrial DiSEqC: Channels: 101		
	Name	Date	Size
TER_BCN	CCIR.XML	16/12/2020 13:55	9 KB
All	File Installation		

QUICK REFERENCE GUIDE







\*\* Optical Option. Refer annex on the User's manual.



#### **SIDE VIEW**





#### RESET

If the device crashes, press the ON/OFF button for 10 seconds. If the device does not respond then press the F4 key for 6 seconds and then release to reset (see user's manual for more information).

v31.1

## RANGERNeo





16-01-2023 (0 DG0419)

Find the user's manual on the download area at: www.promaxelectronics.com